L Number	Hits	Search Text	DB	Time stamp
-	2	(map$5 near3 control) with stack with (program adj counter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/22 10:15
-	1	(US-5668999-$).did.	USPAT	2002/08/26 08:04
-	1	((US-5668999-$).did.) and (stack with counter) and (control or path or flow) and bytecode	USPAT	2002/08/22 11:10
-	0	((US-5668999-$).did.) and (stack with counter) and (control or path or flow) and bytecode and start and (destination or finish)	USPAT	2002/08/22 10:25
-	0	((US-5668999-$).did.) and (stack with counter) and (control or path or flow) and bytecode and map	USPAT	2002/08/22 10:26
-	5	map$5 near3 stack with (program near2 counter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/22 11:12
-	2	(map$5 near3 stack with (program near2 counter)) and @ad<=19980629	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/22 11:12
-	2	(US-5668999-$ or US-6047125-$).did.	USPAT	2002/08/22 11:13
-	2	((US-5668999-$ or US-6047125-$).did.) and bytecode and (control or flow)	USPAT	2002/08/22 11:21
-	2	(((US-5668999-$ or US-6047125-$).did.) and bytecode and (control or flow)) and stack	USPAT	2002/08/22 11:28
-	1	((((US-5668999-$ or US-6047125-$).did.) and bytecode and (control or flow)) and stack) and (program adj counter)	USPAT	2002/08/22 11:29
-	2	(US-5668999-$ or US-6047125-$).did.	USPAT	2002/08/23 10:22
-	8	stack with map with (program adj counter)	USPAT	2002/08/23 10:23
-	11	stack with map$ with (program adj counter)	USPAT	2002/08/23 10:23
-	1	(stack with map$ with (program adj counter)) and (6047125.PN. and ((((((US-5668999-$ or US-6047125-$).did.).p64-p127.) and bytecode and (control or flow)) and stack) and (program adj counter)))	USPAT	2002/08/23 10:56
-	1	(("6047125").PN.) and (bytecode with stack)	USPAT	2002/08/23 10:58
-	1	(("6047125").PN.) and (bytecode with stack with execut$5)	USPAT	2002/08/23 11:06
-	1	(("6047125").PN.) and (stack with counter with pointer)	USPAT	2002/08/23 11:07
-	2	(US-5668999-$ or US-6047125-$).did.	USPAT	2002/08/23 13:11
-	0	((US-5668999-$ or US-6047125-$).did.) and (linear with bytecode)	USPAT	2002/08/23 13:12
-	0	((US-5668999-$ or US-6047125-$).did.) and (linear with first)	USPAT	2002/08/23 13:12
-	2	((US-5668999-$ or US-6047125-$).did.) and (bytecode with first)	USPAT	2002/08/23 13:15
-	1	((US-5668999-$ or US-6047125-$).did.) and (virtual adj stack)	USPAT	2002/08/23 13:16
-	1	((US-5668999-$ or US-6047125-$).did.) and ((virtual adj stack) same bytecode)	USPAT	2002/08/23 13:17
-	1	((US-5668999-$ or US-6047125-$).did.) and ((virtual adj stack) same bytecode same execut$5)	USPAT	2002/08/23 13:31
-	0	((US-5668999-$ or US-6047125-$).did.) and ((virtual adj stack) same bytecode same execut$5 same path)	USPAT	2002/08/23 13:18
-	0	((US-5668999-$ or US-6047125-$).did.) and linear	USPAT	2002/08/23 13:31

-	0	((US-5668999-$ or US-6047125-$).did.) and ((interrupt$4 or delet$4 or halt$4 or stop$4) with (path or control or flow))	USPAT	2002/08/23 13:33
-	427427	((interrupt$4 or delet$4 or halt$4 or stop$4) with (path or control or flow))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/23 13:35
-	2870	(((interrupt$4 or delet$4 or halt$4 or stop$4) with (path or control or flow)) and (record$4 same process$4 same (later or future))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/23 13:36
-	2180	((((interrupt$4 or delet$4 or halt$4 or stop$4) with (path or control or flow))) and (record$4 same process$4 same (later or future))) and @ad<=19980629	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/23 15:12
-	1	(((((interrupt$4 or delet$4 or halt$4 or stop$4) with (path or control or flow))) and (record$4 same process$4 same (later or future))) and @ad<=19980629) and (bytecode with breakpoint with pointer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/23 13:38
-	1	(((((interrupt$4 or delet$4 or halt$4 or stop$4) with (path or control or flow))) and (record$4 same process$4 same (later or future))) and @ad<=19980629) and (bytecode with breakpoint)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/23 13:38
-	1	first adj linear adj bytecode	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/23 15:13
-	23	first adj bytecode	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/23 15:13
-	15	(first adj bytecode) and @ad<=19980629	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/23 15:13
-	3	first adj bytecode adj sequence	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/26 09:10
-	3	((process$5 near3 bytecode) with (interrupt$5 or stop$4)) same (record$4 or stor$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/26 09:20
-	4	(US-5668999-$ or US-6047125-$ or US-6098089-$ or US-6026485-$).did.	USPAT	2002/08/27 12:00
-	2	((US-5668999-$ or US-6047125-$ or US-6098089-$ or US-6026485-$).did.) and bytecode and process$5 and record$5	USPAT	2002/08/26 09:22
-	1	breakpoint with bytecode with pointer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/27 12:01
-	3	breakpoint with bytecode	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/28 12:59

–		5	determin$5 with bytecode with pointer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/28 13:11
–		2	(determin$5 with bytecode with pointer) same (chang$5 or replac$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/28 13:12
–		5	(US-5668999-$ or US-6047125-$ or US-6098089-$ or US-6026485-$ or US-5909579-$).did.	USPAT	2002/08/28 16:19
–		5	((US-5668999-$ or US-6047125-$ or US-6098089-$ or US-6026485-$ or US-5909579-$).did.) and bit$	USPAT	2002/08/28 16:23
–		5	((US-5668999-$ or US-6047125-$ or US-6098089-$ or US-6026485-$ or US-5909579-$).did.) and ((bit$7 or byte$6) with virtual)	USPAT	2002/08/28 16:30
–		2	((US-5668999-$ or US-6047125-$ or US-6098089-$ or US-6026485-$ or US-5909579-$).did.) and ((bit$7 or byte$6) with virtual with encod$4)	USPAT	2002/08/28 16:26
–		3	((US-5668999-$ or US-6047125-$ or US-6098089-$ or US-6026485-$ or US-5909579-$).did.) and (((bit$7 or byte$6) with virtual) same stack)	USPAT	2002/08/28 16:57
–		4	((US-5668999-$ or US-6047125-$ or US-6098089-$ or US-6026485-$ or US-5909579-$).did.) and ((stor$5 near3 (bit$7 or bytecode)) with stack)	USPAT	2002/08/28 17:17
–		3	((US-5668999-$ or US-6047125-$ or US-6098089-$ or US-6026485-$ or US-5909579-$).did.) and (stor$5 same heap)	USPAT	2002/08/28 17:18
–		5	(US-5668999-$ or US-6047125-$ or US-6098089-$ or US-6026485-$ or US-5909579-$).did.	USPAT	2002/08/29 13:36
–		5	((US-5668999-$ or US-6047125-$ or US-6098089-$ or US-6026485-$ or US-5909579-$).did.) and (stack with (bits or bytecode))	USPAT	2002/08/29 14:02
–		1	(US-5668999-$).did.	USPAT	2002/08/29 14:01
–		1	((US-5668999-$).did.) and (stack with bytecode)	USPAT	2002/08/29 14:02
–		1	("6047125").PN.	USPAT	2002/09/01 17:19
–		0	(("6047125").PN.) and (bytecode with flow)	USPAT	2002/09/01 15:56
–		1	(("6047125").PN.) and (bytecode with control)	USPAT	2002/09/01 16:55
–		1	(("6047125").PN.) and (bytecode with stack)	USPAT	2002/09/01 16:55
–		1	("5668999").PN.	USPAT	2002/09/01 17:00
–		1	(("5668999").PN.) and (bytecode with stack)	USPAT	2002/09/01 17:00
–		1	(("6047125").PN.) and (computer or read$5 or memory)	USPAT	2002/09/01 17:58
–		0	(("6047125").PN.) and ((computer or read$5 or memory) with intruction)	USPAT	2002/09/01 17:20
–		1	(("6047125").PN.) and (computer or read$5 or memory)	USPAT	2002/09/01 17:20